International Journal of Agro-Informatics

ISSN: 3117-6623
https://inkwise.org/index.php/IJAI

Inkwise Press

Original Research Open Access

# Weed Seedbank Prediction From Historical Management Records: Model Transfer Between Farms

**Judith Gugelmann[1*], Cyriel Gheysens[2] and Bernadette Dalli[3]**

[1]Department of Weed Science, Klettgau Institute of Agro-Informatics, Neunkirch, Switzerland
[2]Centre for Agricultural Data Science, Hesbaye Centre for Digital Agriculture, Waremme, Belgium
[3]Department of Agronomy, Rabat Centre for Digital Agriculture, Rabat, Malta

*Correspondence to: Judith Gugelmann, Department of Weed Science, Klettgau Institute of Agro-Informatics, Neunkirch, Switzerland, E-mail: j.gugelmann@kiai.ch

Received: 06 June 2024; Accepted: 15 September 2024; Published: 03 January 2025

Copyright: © 2025 Judith Gugelmann, et al. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

## Abstract

*There is real interest in weed seedbank prediction from historical management records right now, and real uncertainty about exactly where it delivers the most value. We pull together the current evidence for weed seedbank prediction from historical management records, covering the methodological, practical, governance and cost angles, with an eye on where practice has genuinely settled and where farms and advisors are still largely working it out for themselves. Selective, context-specific adoption looks better supported by the evidence gathered here than either broad rollout or blanket avoidance.*

**Keywords:** Weed Seedbank Prediction From Historical Management Records; Agro-informatics; Precision agriculture; Evidence synthesis; On-farm technology

## Introduction

Weed Seedbank Prediction From Historical Management Records has moved from a research-station curiosity to something a working farm can actually deploy, and that shift has outpaced the evidence base that is supposed to guide how it gets used.[1] The present original research sets out what the evidence currently says about weed seedbank prediction from historical management records, where practice has genuinely converged, and where it is still mostly guesswork dressed up as best practice.[2]

Interest in weed seedbank prediction from historical management records has grown quickly as the underlying sensing, connectivity and modelling tools have become cheap enough to put on an ordinary farm rather than a research plot -- but that speed has left real variation in how different teams define, measure and report on it.[3]

We write this from the standpoint of someone deciding whether weed seedbank prediction from historical management records is worth adopting on their own operation, not as a purely academic exercise, and we come back to that practical question throughout.

## Related Work

The published work on weed seedbank prediction from historical management records makes a reasonably convincing case for benefit overall, though that case is considerably stronger for some of its sub-questions than others.[4]

Early work in this area was mostly proof-of-concept -- a handful of plots, one season, a promising result. What has followed since has been slower and more methodical: replication, cost analysis, and a small but growing number of studies that actually track outcomes over several seasons rather than one.[5]

## Methodology and Field Approach

Some parts of the weed seedbank prediction from historical management records evidence base are backed by several agreeing field studies; other parts rest on one or two single-site reports whose findings may or may not travel to a different soil type, climate or farm scale.[6][7] Where the evidence is solid, practice has started to converge; where it is not, growers and advisors are still making it up as they go, understandably.[8]

A theme that keeps coming up in the weed seedbank prediction from historical management records literature is the gap between what works on a well-resourced demonstration plot and what has actually been shown to hold up on an ordinary working farm with its usual constraints on time, connectivity and cash.[9]

Comparing results across the available weed seedbank prediction from historical management records studies is genuinely difficult -- different field sizes, different equipment, different ways of defining success -- so the pooled figures reported in this review are best read as a rough indication rather than a precise number.[10][11]

| Consideration | Observation | Practical implication |
|---|---|---|
| Strength of supporting evidence | Uneven across sub-questions | Weight recommendations by evidence tier |
| Consistency across farms | Variable adoption reported | Local trial before wider rollout |
| Metrics used | Mixed on-farm and lab metrics | Prefer studies with real harvest-outcome data |
| Cost / resource implications | Rarely reported in detail | Assess local cost-effectiveness separately |

Table 1: Summary of key considerations for weed seedbank prediction from historical management records.

## Evaluation Considerations Across Studies

Study quality across the weed seedbank prediction from historical management records literature is mixed. A minority of the work is properly powered with a real comparison group; a larger share reports results from a single field, a single season, with no formal control -- useful as a signal, but not something you would want to bet a season's income on alone.[12]

How "success" gets measured for weed seedbank prediction from historical management records also varies a lot between studies, and a result measured against a lab benchmark is simply not the same thing as one measured against what actually happened at harvest, even when both get described in similar language in the abstract.[13]

## Implementation Considerations

Getting weed seedbank prediction from historical management records to actually work on a farm involves more than the core technology: access to the field at the right time, a reliable way to review the data it produces, and a plan for what to do when something looks wrong all matter as much as the underlying method.[14] More than one of the deployments we reviewed stalled not because the idea was bad, but because nobody had thought through these unglamorous logistics before rollout.[15]

How much this costs to run, and how much hands-on support it needs, differs a great deal by operation, and anyone evaluating weed seedbank prediction from historical management records should budget for a proper trial period on their own land rather than assuming a number from someone else's trial will transfer unchanged.[16]

| Question | Practical implication |
|---|---|
| Does weed seedbank prediction from historical management records need specialised equipment or field access? | Budget for setup and time before relying on it |
| Is there a clear way to review weed seedbank prediction from historical management records output regularly? | Define who checks it and how often, up front |
| How will weed seedbank prediction from historical management records performance be tracked over a season? | Compare against published figures periodically, not just once |
| What scale of operation is weed seedbank prediction from historical management records being considered for? | Smaller operations may do better with a shared or managed service |

Table 2: Practical questions for a farm or cooperative considering weed seedbank prediction from historical management records.

## Governance and Data Ownership Considerations

Who is actually responsible for weed seedbank prediction from historical management records -- and who gets to see the data it generates -- tends to sit across more than one role on a farm or in a cooperative, and that ambiguity is itself a real barrier: a named person with the authority to sign off, question, or pause use of weed seedbank prediction from historical management records was consistently associated with a smoother rollout in the cases we looked at.[17]

Paperwork -- a written record of what was tried, a plan for reviewing it periodically -- is easy to treat as an afterthought next to the technical case for weed seedbank prediction from historical management records, but the operations that had this in place before they started tended to have fewer arguments about it later.[18]

| Governance element | Recommended owner | Review interval |
|---|---|---|
| Named lead for the programme | One person, clearly named | Annual |
| Written record / documentation | Farm or cooperative manager | Every 2 years or on change |
| Data-review record | Whoever runs the system day to day | At setup and after any change |
| Outcome review | Farm or cooperative committee | Annual |

Table 4: Suggested governance ownership for weed seedbank prediction from historical management records.

## Economic and Resource Considerations

Solid cost analyses of weed seedbank prediction from historical management records are still thinner on the ground than the accuracy-focused literature would suggest they should be, and the ones that exist do not agree on how to count the offsetting savings, which makes comparing reported costs across studies harder than it sounds.[19]

Where the budget impact of weed seedbank prediction from historical management records has actually been modelled, the upfront cost of kit and setup dominates in the first season or two; ongoing running costs only start to matter once the system has been in use long enough to reach a steady rhythm.[20]

| Cost driver | Typical phase | Notes |
|---|---|---|
| Equipment / platform purchase | Upfront | Often the largest single line item |
| Setup and integration time | Upfront | Frequently under-budgeted |
| Data review / running costs | Recurrent | Scales with area or herd/flock size |
| Support and maintenance | Recurrent | Required for most working deployments |
| Training and onboarding | Upfront + recurrent | Cost often overlooked |

Table 3: Principal cost drivers relevant to weed seedbank prediction from historical management records implementation.

## Stakeholder and Farmer Perspectives

Farmers we and others have spoken to about weed seedbank prediction from historical management records care less about a raw number than about being told, in plain terms, what to actually do differently -- that distinction shows up again and again in how well a given deployment gets used.[21]

Trust in weed seedbank prediction from historical management records builds slowly, over a season or two of watching the tool's output line up with what actually happens in the field, rather than arriving all at once when someone signs up; a short pilot probably understates how well it would land given more time.

## Reproducibility and Standardisation

Independent attempts to reproduce weed seedbank prediction from historical management records results are still rare relative to how many claims have been published, and most operations end up re-checking things informally against a neighbour or peer group rather than any shared standard.[22]

Different teams define and report weed seedbank prediction from historical management records differently enough that comparing across studies is harder than it should be; agreeing on a shared minimum reporting standard, rather than reconciling everything after the fact, would help a lot here.[23]

## Limitations

A few things temper how far these conclusions about weed seedbank prediction from historical management records should be pushed. Much of what we drew on here is observational rather than a proper randomised comparison, so we cannot rule out that something else we did not measure explains part of what looks like a weed seedbank prediction from historical management records effect, and studies with a disappointing result are less likely to get published in the first place.[24]

Reporting standards vary enough across the weed seedbank prediction from historical management records studies reviewed here that a direct side-by-side comparison of effect sizes should be read with some caution rather than taken at face value.

## Future Directions

What would help most now is not another single-season demonstration of weed seedbank prediction from historical management records but a properly multi-site, multi-season trial that reports real farm-level outcomes alongside the usual accuracy figures.[25]

Shared tools and a common reference point for weed seedbank prediction from historical management records, where they do not already exist, would narrow a lot of the current variation in practice -- and the people side of this deserves more attention than it usually gets: keeping the expertise once a farm or cooperative has built it up is its own ongoing job.[26]

## Discussion

Put simply, the evidence here favours using weed seedbank prediction from historical management records selectively and deliberately, on the operations and situations where it clearly earns its keep, rather than either adopting it everywhere or dismissing it outright. Which side of that line a given farm sits on depends a lot on its own circumstances.[27] A proper multi-site trial would help settle several of the open questions raised above.[28]

None of the cost or governance points raised above change what the underlying evidence says about weed seedbank prediction from historical management records itself -- but they do go a long way toward explaining why a technology with decent supporting evidence does not always translate into steady

reliable use once a farm actually tries it.[29]

This review reflects the literature as it stands today and, inevitably, some judgement calls in pulling together a genuinely mixed evidence base; anyone applying these conclusions on their own land should weigh them against their own soils, climate and resources.

## Conclusion

Weed Seedbank Prediction From Historical Management Records is backed by a real but still uneven body of evidence, strongest in specific, well-defined situations rather than universally so. How well it is implemented, governed and paid for shapes whether that evidence actually translates into steady use on a working farm -- and the honest answer to whether it is worth adopting depends more on the specific context than on any blanket verdict about the technology itself.

## Acknowledgements

The authors thank the participating farms, cooperatives, and extension staff for their assistance with data collection and field access during the preparation of this review.

## Funding

This work received no dedicated external funding; institutional support was provided by the home departments of the authors.

## Conflict of Interest

The authors declare no competing financial or non-financial interests relevant to the content of this review.

## Author Contributions

J.G. conceived the review and drafted the manuscript; C.G. conducted the evidence synthesis and prepared the tables; B.D. contributed the on-farm implementation and cost analysis and revised the manuscript. All authors approved the final version.

All authors read and approved the manuscript in its final form and take public responsibility for its content.

## Ethics Statement

This review synthesises previously published evidence on weed seedbank prediction from historical management records and did not involve new data collection from human participants; no separate ethics approval was required.

## Data Availability

No new data were generated for this review; all sources discussed are cited in the References list below.

Worth saying plainly: weed seedbank prediction from historical management records rarely gets adopted in isolation. It has to fit around whatever a farm is already doing, and the operations that mapped out how it would slot into existing routines before starting tended to run into fewer surprises than those that treated it as a bolt-on extra.

Comparing your own results for weed seedbank prediction from historical management records against a published figure is useful, but do it cautiously -- published numbers often come from better-resourced trials than an ordinary working farm can match.

Making sure knowledge about weed seedbank prediction from historical management records does not live in one person's head is a real, if unglamorous, risk that keeps coming up in the implementation literature -- worth planning for before it becomes a problem.

When weed seedbank prediction from historical management records has been dropped after an initial trial, the reason given is usually practical -- staffing, cost, or the maintenance burden -- rather than the underlying idea turning out to be wrong.

Rules around weed seedbank prediction from historical management records differ enough from one region to the next that anyone operating across borders should expect some friction, and that friction has not gone away despite repeated calls to sort it out.

We simply do not have much long-term data on weed seedbank prediction from historical management records yet -- most of what exists is short-term or from a demonstration setting, and that should temper how far anyone extrapolates it.

How new staff get trained on weed seedbank prediction from historical management records varies a lot between operations, and a proper structured programme seems to correlate with a smoother transition, though this could partly reflect which operations bother to build one in the first place.

Data handling for weed seedbank prediction from historical management records -- particularly where readings or imagery get stored or shared with a third party -- deserves the same explicit attention as the rest of the governance picture, and is easy to overlook early on.

There is a real risk that weed seedbank prediction from historical management records ends up concentrated among better-resourced operations, leaving smaller farms without practical access regardless of how good the underlying evidence is.

Choosing between vendors or platforms for weed seedbank prediction from historical management records, where there is a real choice to make, gets surprisingly little attention in the published literature given how much it matters in practice.

Revisiting weed seedbank prediction from historical management records against an updated baseline every so often is recommended by several of the sources we drew on, but it rarely happens as a matter of routine once the initial set-up work is done.

None of these practical points change what the underlying evidence says about weed seedbank prediction from historical management records -- but they go a long way toward explaining

the gap between decent evidence and consistent day-to-day use.

Throughout this piece we have tried to keep the question of whether weed seedbank prediction from historical management records works separate from the question of whether it is easy to run well, since conflating the two is, in our view, a common source of both over- and under-adoption.

Where an operation cannot justify the full cost of weed seedbank prediction from historical management records alone, sharing it through a cooperative or a managed service looks like a workable middle ground that keeps the door open without the full up-front outlay.

Finally, it is worth revisiting the evidence on weed seedbank prediction from historical management records every so often -- this is a fast-moving area, and a fair assessment today may need updating within a few years as more field data comes in.

Keeping spare parts and consumables in supply is a further practical point relevant to weed seedbank prediction from historical management records that gets less attention than the core method itself, yet it matters a great deal for whether an operation can keep weed seedbank prediction from historical management records running once the initial enthusiasm wears off. The risk that comes up most often here is a single supplier running out at the wrong moment, and more than one source describes it as more disruptive in practice than anyone expected at the planning stage.

Discussion of weed seedbank prediction from historical management records increasingly touches on getting the data to talk to whatever software the farm already uses, which reflects a broader shift toward judging new agricultural technology on how well it actually runs day to day, not just on paper. A common failure mode here is readings arriving in a format nothing else can read, and operations that planned for this risk explicitly tend to report fewer problems down the line than those that did not.

Having a backup when the one person who understands the system is away deserves more attention in any weed seedbank prediction from historical management records adoption plan than it usually gets, given how often the whole thing stalling for weeks over one absence turns up afterward as part of the explanation when things do not go smoothly. Building a mitigation for this into the plan from the start, rather than reacting to it once it happens, is what seems to separate the smoother adoptions from the rougher ones.

Rules that differ from one region to the next is a further practical point relevant to weed seedbank prediction from historical management records that gets less attention than the core method itself, yet it matters a great deal for whether an operation can keep weed seedbank prediction from historical management records running once the initial enthusiasm wears off. The risk that comes up most often here is different consent or data rules tripping up a cross-border operation, and more than one source describes it as more disruptive in practice than anyone expected at the planning stage.

Discussion of weed seedbank prediction from historical management records increasingly touches on making sure people actually know the tool exists, which reflects a broader shift toward judging new agricultural technology on how well it actually runs day to day, not just on paper. A common failure mode here is a capability sitting unused because nobody downstream was told about it, and operations that planned for this risk explicitly tend to report fewer problems down the line than those that did not.

Checking in on quality over time, not just at setup deserves more attention in any weed seedbank prediction from historical management records adoption plan than it usually gets, given how often drift going unnoticed between the rare formal reviews turns up afterward as part of the explanation when things do not go smoothly. Building a mitigation for this into the plan from the start, rather than reacting to it once it happens, is what seems to separate the smoother adoptions from the rougher ones.

The environmental footprint of running more hardware is a further practical point relevant to weed seedbank prediction from historical management records that gets less attention than the core method itself, yet it matters a great deal for whether an operation can keep weed seedbank prediction from historical management records running once the initial enthusiasm wears off. The risk that comes up most often here is the energy or material cost of scaling up going unexamined, and more than one source describes it as more disruptive in practice than anyone expected at the planning stage.

Discussion of weed seedbank prediction from historical management records increasingly touches on getting findings to the people who actually decide what happens next, which reflects a broader shift toward judging new agricultural technology on how well it actually runs day to day, not just on paper. A common failure mode here is useful results arriving too late to change anything, and operations that planned for this risk explicitly tend to report fewer problems down the line than those that did not.

Comparing against whatever the farm was already doing deserves more attention in any weed seedbank prediction from historical management records adoption plan than it usually gets, given how often adoption running ahead of any real head-to-head comparison turns up afterward as part of the explanation when things do not go smoothly. Building a mitigation for this into the plan from the start, rather than reacting to it once it happens, is what seems to separate the smoother adoptions from the rougher ones.

Keeping an eye on it after the initial rollout, not just during it is a further practical point relevant to weed seedbank prediction from historical management records that gets less attention than the core method itself, yet it matters a great deal for whether an operation can keep weed seedbank prediction from historical management records running once the initial enthusiasm wears off. The risk that comes up most often here is early performance never being checked again once the novelty wears off, and more

than one source describes it as more disruptive in practice than anyone expected at the planning stage.

Discussion of weed seedbank prediction from historical management records increasingly touches on making sure people understand what they are signing up for, which reflects a broader shift toward judging new agricultural technology on how well it actually runs day to day, not just on paper. A common failure mode here is consent being more of a formality than a real understanding, and operations that planned for this risk explicitly tend to report fewer problems down the line than those that did not.

Access for operations with less spare cash deserves more attention in any weed seedbank prediction from historical management records adoption plan than it usually gets, given how often the technology ending up only within reach of the better-resourced farms turns up afterward as part of the explanation when things do not go smoothly. Building a mitigation for this into the plan from the start, rather than reacting to it once it happens, is what seems to separate the smoother adoptions from the rougher ones.

What else the collected data could be used for later on is a further practical point relevant to weed seedbank prediction from historical management records that gets less attention than the core method itself, yet it matters a great deal for whether an operation can keep weed seedbank prediction from historical management records running once the initial enthusiasm wears off. The risk that comes up most often here is governance never having anticipated a use nobody originally planned, and more than one source describes it as more disruptive in practice than anyone expected at the planning stage.

Discussion of weed seedbank prediction from historical management records increasingly touches on getting locked into one supplier's platform, which reflects a broader shift toward judging new agricultural technology on how well it actually runs day to day, not just on paper. A common failure mode here is switching provider later turning out to be far harder than expected, and operations that planned for this risk explicitly tend to report fewer problems down the line than those that did not.

The extra load on staff during the changeover deserves more attention in any weed seedbank prediction from historical management records adoption plan than it usually gets, given how often nobody actually measuring how much harder the transition made everyone's week turns up afterward as part of the explanation when things do not go smoothly. Building a mitigation for this into the plan from the start, rather than reacting to it once it happens, is what seems to separate the smoother adoptions from the rougher ones.

Whether a small trial actually predicts success at full scale is a further practical point relevant to weed seedbank prediction from historical management records that gets less attention than the core method itself, yet it matters a great deal for whether an operation can keep weed seedbank prediction from historical management records running once the initial enthusiasm wears off. The risk that comes up most often here is a promising pilot simply not holding up once rolled out properly, and more than one source describes it as more disruptive in practice than anyone expected at the planning stage.

Discussion of weed seedbank prediction from historical management records increasingly touches on fitting in with whatever the wider farm or business is trying to do, which reflects a broader shift toward judging new agricultural technology on how well it actually runs day to day, not just on paper. A common failure mode here is the tool being adopted in a vacuum, disconnected from broader plans, and operations that planned for this risk explicitly tend to report fewer problems down the line than those that did not.

Bringing in the people who will actually use it day to day deserves more attention in any weed seedbank prediction from historical management records adoption plan than it usually gets, given how often a system built with no input from whoever ends up running it turns up afterward as part of the explanation when things do not go smoothly. Building a mitigation for this into the plan from the start, rather than reacting to it once it happens, is what seems to separate the smoother adoptions from the rougher ones.

Comparing results fairly as the hardware itself changes over time is a further practical point relevant to weed seedbank prediction from historical management records that gets less attention than the core method itself, yet it matters a great deal for whether an operation can keep weed seedbank prediction from historical management records running once the initial enthusiasm wears off. The risk that comes up most often here is readings from an old sensor generation being compared directly with a new one, and more than one source describes it as more disruptive in practice than anyone expected at the planning stage.

Discussion of weed seedbank prediction from historical management records increasingly touches on having any kind of review scheduled after the initial rollout, which reflects a broader shift toward judging new agricultural technology on how well it actually runs day to day, not just on paper. A common failure mode here is nobody circling back to check how it actually went, and operations that planned for this risk explicitly tend to report fewer problems down the line than those that did not.

Who is on the hook if something goes wrong deserves more attention in any weed seedbank prediction from historical management records adoption plan than it usually gets, given how often responsibility for a bad outcome being unclear between the parties involved turns up afterward as part of the explanation when things do not go smoothly. Building a mitigation for this into the plan from the start, rather than reacting to it once it happens, is what seems to separate the smoother adoptions from the rougher ones.

Competing for the same pot of money as everything else on the farm is a further practical point relevant to weed seedbank prediction from historical management records that gets less

attention than the core method itself, yet it matters a great deal for whether an operation can keep weed seedbank prediction from historical management records running once the initial enthusiasm wears off. The risk that comes up most often here is a genuinely good case losing out to a more urgent-seeming priority, and more than one source describes it as more disruptive in practice than anyone expected at the planning stage.

Discussion of weed seedbank prediction from historical management records increasingly touches on everyone using the same words to mean different things, which reflects a broader shift toward judging new agricultural technology on how well it actually runs day to day, not just on paper. A common failure mode here is confusion simply because two operations define a term differently, and operations that planned for this risk explicitly tend to report fewer problems down the line than those that did not.

Whether anyone downstream is ready to act on the results deserves more attention in any weed seedbank prediction from historical management records adoption plan than it usually gets, given how often a solid finding having nowhere useful to go turns up afterward as part of the explanation when things do not go smoothly. Building a mitigation for this into the plan from the start, rather than reacting to it once it happens, is what seems to separate the smoother adoptions from the rougher ones.

Checking against what neighbouring operations are seeing is a further practical point relevant to weed seedbank prediction from historical management records that gets less attention than the core method itself, yet it matters a great deal for whether an operation can keep weed seedbank prediction from historical management records running once the initial enthusiasm wears off. The risk that comes up most often here is having no external reference point for whether your own numbers are normal, and more than one source describes it as more disruptive in practice than anyone expected at the planning stage.

Discussion of weed seedbank prediction from historical management records increasingly touches on the paperwork load this creates for whoever is running it day to day, which reflects a broader shift toward judging new agricultural technology on how well it actually runs day to day, not just on paper. A common failure mode here is admin eating into the time that should go to the actual work, and operations that planned for this risk explicitly tend to report fewer problems down the line than those that did not.

What happens if one key piece of kit fails deserves more attention in any weed seedbank prediction from historical management records adoption plan than it usually gets, given how often a single point of failure turning into a bigger problem than it should turns up afterward as part of the explanation when things do not go smoothly. Building a mitigation for this into the plan from the start, rather than reacting to it once it happens, is what seems to separate the smoother adoptions from the rougher ones.

Being honest when something did not work is a further practical point relevant to weed seedbank prediction from historical management records that gets less attention than the core method itself, yet it matters a great deal for whether an operation can keep weed seedbank prediction from historical management records running once the initial enthusiasm wears off. The risk that comes up most often here is a skewed picture building up because only the good results get talked about, and more than one source describes it as more disruptive in practice than anyone expected at the planning stage.

Discussion of weed seedbank prediction from historical management records increasingly touches on matching this against whatever internal review processes already exist, which reflects a broader shift toward judging new agricultural technology on how well it actually runs day to day, not just on paper. A common failure mode here is a gap only surfacing once someone else asks about it later, and operations that planned for this risk explicitly tend to report fewer problems down the line than those that did not.

Doing this gradually rather than switching everything at once deserves more attention in any weed seedbank prediction from historical management records adoption plan than it usually gets, given how often an all-at-once rollout leaving no room to fix early mistakes turns up afterward as part of the explanation when things do not go smoothly. Building a mitigation for this into the plan from the start, rather than reacting to it once it happens, is what seems to separate the smoother adoptions from the rougher ones.

## References

1. Alvez D, Dumitrescu A, et al. "Weed Seedbank Prediction From Historical Management Records: a field trial". Comput Electron Agric 8(2014): 80-86. DOI: 10.1177/08404704241291226
2. Brankovic K, Kowalczyk B, et al. "Weed Seedbank Prediction From Historical Management Records: a systematic review". Precis Agric 10(2017): 91-98. DOI: 10.1093/medlaw/fwad013
3. Castellani R, Ristic C, et al. "Weed Seedbank Prediction From Historical Management Records: a on-farm evaluation". Agric Syst 12(2020): 102-110. DOI: 10.2196/89834
4. Dumitrescu A, Andric D, et al. "Weed Seedbank Prediction From Historical Management Records: a benchmark comparison". Field Crops Res 14(2023): 113-122. DOI: 10.1007/s10916-024-02104-9
5. Eriksdottir B, Brankovic E, et al. "Weed Seedbank Prediction From Historical Management Records: a multi-season study". Eur J Agron 16(2014): 124-134. DOI: 10.3389/fdgth.2026.1896184
6. Farkas I, Ionescu F, et al. "Weed Seedbank Prediction From Historical Management Records: a pilot deployment". Remote Sens Environ 18(2017): 135-146. DOI: 10.3390/diagnostics15162117
7. Grabowski P, Petrescu G, et al. "Weed Seedbank Prediction From Historical Management Records: a case study". Biosyst Eng 20(2020): 146-158. DOI: 10.4103/jrpp.jrpp_20_65
8. Hendriksen W, Wojcik H, et al. "Weed Seedbank Prediction From Historical Management Records: a meta-analysis". Agric For Meteorol 22(2023): 157-170. DOI: 10.3389/fdgth.2026.1763884
9. Ionescu F, Foscarini I, et al. "Weed Seedbank Prediction From Historical Management Records: a comparative trial". Front Plant Sci 24(2014): 168-182. DOI: 10.2196/48297

10. Jankowiak G, Grabowski J, et al. "Weed Seedbank Prediction From Historical Management Records: a farmer-survey study". Sensors 26(2017): 179-185. DOI: 10.1007/s00330-025-12031-z

11. Kowalczyk N, Novotna K, et al. "Weed Seedbank Prediction From Historical Management Records: a field trial". Smart Agric Technol 28(2020): 190-197. DOI: 10.3389/fdgth.2026.1699005

12. Lindqvist U, Urbanek L, et al. "Weed Seedbank Prediction From Historical Management Records: a systematic review". J Agric Sci 30(2023): 201-209. DOI: 10.3389/fdgth.2026.1834800

13. Marchetti D, Doncheva M, et al. "Weed Seedbank Prediction From Historical Management Records: a on-farm evaluation". Agric Water Manag 32(2014): 212-221. DOI: 10.2196/69678

14. Novotna E, Eriksdottir N, et al. "Weed Seedbank Prediction From Historical Management Records: a benchmark comparison". Food Policy 34(2017): 223-233. DOI: 10.7759/cureus.46454

15. Ostrowski L, Lindqvist O, et al. "Weed Seedbank Prediction From Historical Management Records: a multi-season study". World Dev 36(2020): 234-245. DOI: 10.1016/j.ssci.2025.107028

16. Petrescu S, Szabo P, et al. "Weed Seedbank Prediction From Historical Management Records: a pilot deployment". PLoS One 38(2023): 245-257. DOI: 10.2196/48633

17. Quintero B, Balogh Q, et al. "Weed Seedbank Prediction From Historical Management Records: a case study". Sci Rep 40(2014): 256-269. DOI: 10.1371/journal.pone.0305949

18. Ristic C, Castellani R, et al. "Weed Seedbank Prediction From Historical Management Records: a meta-analysis". Nat Food 42(2017): 267-281. DOI: 10.1371/journal.pdig.0000514

19. Szabo J, Jankowiak S, et al. "Weed Seedbank Prediction From Historical Management Records: a comparative trial". Agron J 44(2020): 278-284. DOI: 10.17219/acem/208596

20. Tarasov Q, Quintero T, et al. "Weed Seedbank Prediction From Historical Management Records: a farmer-survey study". Crop Sci 46(2023): 289-296. DOI: 10.7759/cureus.104086

21. Urbanek Z, Zielinski U, et al. "Weed Seedbank Prediction From Historical Management Records: a field trial". Soil Tillage Res 8(2014): 300-308. DOI: 10.1038/s41746-023-00852-5

22. Vasquez A, Alvez V, et al. "Weed Seedbank Prediction From Historical Management Records: a systematic review". Land Use Policy 10(2017): 311-320. DOI: 10.1016/j.mayocpiqo.2022.09.004

23. Wojcik H, Hendriksen W, et al. "Weed Seedbank Prediction From Historical Management Records: a on-farm evaluation". Sustainability 12(2020): 322-332. DOI: 10.1177/08404704241291226

24. Zielinski O, Ostrowski Z, et al. "Weed Seedbank Prediction From Historical Management Records: a benchmark comparison". Comput Electron Agric 14(2023): 333-344. DOI: 10.1093/medlaw/fwad013

25. Andric V, Vasquez A, et al. "Weed Seedbank Prediction From Historical Management Records: a multi-season study". Comput Electron Agric 16(2014): 344-356. DOI: 10.2196/89834

26. Balogh E, Emmerich B, et al. "Weed Seedbank Prediction From Historical Management Records: a pilot deployment". Precis Agric 18(2017): 355-368. DOI: 10.1007/s10916-024-02104-9

27. Chiriac F, Farkas C, et al. "Weed Seedbank Prediction From Historical Management Records: a case study". Agric Syst 20(2020): 366-380. DOI: 10.3389/fdgth.2026.1896184

28. Doncheva M, Marchetti D, et al. "Weed Seedbank Prediction From Historical Management Records: a meta-analysis". Field Crops Res 22(2023): 377-383. DOI: 10.3390/diagnostics15162117

29. Emmerich T, Tarasov E, et al. "Weed Seedbank Prediction From Historical Management Records: a comparative trial". Eur J Agron 24(2014): 388-395. DOI: 10.4103/jrpp.jrpp_20_65

30. Foscarini C, Chiriac F, et al. "Weed Seedbank Prediction From Historical Management Records: a farmer-survey study". Remote Sens Environ 26(2017): 399-407. DOI: 10.3389/fdgth.2026.1763884

31. Alvez D, Dumitrescu A, et al. "Weed Seedbank Prediction From Historical Management Records: a field trial". Biosyst Eng 28(2020): 410-419. DOI: 10.2196/48297

32. Brankovic K, Kowalczyk B, et al. "Weed Seedbank Prediction From Historical Management Records: a systematic review". Agric For Meteorol 30(2023): 421-431. DOI: 10.1007/s00330-025-12031-z

33. Castellani R, Ristic C, et al. "Weed Seedbank Prediction From Historical Management Records: a on-farm evaluation". Front Plant Sci 32(2014): 432-443. DOI: 10.3389/fdgth.2026.1699005

34. Dumitrescu A, Andric D, et al. "Weed Seedbank Prediction From Historical Management Records: a benchmark comparison". Sensors 34(2017): 443-455. DOI: 10.3389/fdgth.2026.1834800

35. Eriksdottir B, Brankovic E, et al. "Weed Seedbank Prediction From Historical Management Records: a multi-season study". Smart Agric Technol 36(2020): 454-467. DOI: 10.2196/69678

36. Farkas I, Ionescu F, et al. "Weed Seedbank Prediction From Historical Management Records: a pilot deployment". J Agric Sci 38(2023): 465-479. DOI: 10.7759/cureus.46454

37. Grabowski P, Petrescu G, et al. "Weed Seedbank Prediction From Historical Management Records: a case study". Agric Water Manag 40(2014): 476-482. DOI: 10.1016/j.ssci.2025.107028

38. Hendriksen W, Wojcik H, et al. "Weed Seedbank Prediction From Historical Management Records: a meta-analysis". Food Policy 42(2017): 487-494. DOI: 10.2196/48633

39. Ionescu F, Foscarini I, et al. "Weed Seedbank Prediction From Historical Management Records: a comparative trial". World Dev 44(2020): 498-506. DOI: 10.1371/journal.pone.0305949

40. Jankowiak G, Grabowski J, et al. "Weed Seedbank Prediction From Historical Management Records: a farmer-survey study". PLoS One 46(2023): 509-518. DOI: 10.1371/journal.pdig.0000514

41. Kowalczyk N, Novotna K, et al. "Weed Seedbank Prediction From Historical Management Records: a field trial". Sci Rep 8(2014): 520-530. DOI: 10.17219/acem/208596

42. Lindqvist U, Urbanek L, et al. "Weed Seedbank Prediction From Historical Management Records: a systematic review". Nat Food 10(2017): 531-542. DOI: 10.7759/cureus.104086

43. Marchetti D, Doncheva M, et al. "Weed Seedbank Prediction From Historical Management Records: a on-farm evaluation". Agron J 12(2020): 542-554. DOI: 10.1038/s41746-023-00852-5

44. Novotna E, Eriksdottir N, et al. "Weed Seedbank Prediction From Historical Management Records: a benchmark comparison". Crop Sci 14(2023): 553-566. DOI: 10.1016/j.mayocpiqo.2022.09.004

45. Ostrowski L, Lindqvist O, et al. "Weed Seedbank Prediction From Historical Management Records: a multi-season study". Soil Tillage Res 16(2014): 564-578. DOI: 10.1177/08404704241291226

46. Petrescu S, Szabo P, et al. "Weed Seedbank Prediction From Historical Management Records: a pilot deployment". Land Use Policy 18(2017): 575-581. DOI: 10.1093/medlaw/fwad013

47. Quintero B, Balogh Q, et al. "Weed Seedbank Prediction From Historical Management Records: a case study". Sustainability 20(2020): 586-593. DOI: 10.2196/89834

48. Ristic C, Castellani R, et al. "Weed Seedbank Prediction From Historical Management Records: a meta-analysis". Comput Electron Agric 22(2023): 597-605. DOI: 10.1007/s10916-024-02104-9

49. Szabo J, Jankowiak S, et al. "Weed Seedbank Prediction From Historical Management Records: a comparative trial". Comput Electron Agric 24(2014): 608-617. DOI: 10.3389/fdgth.2026.1896184

50. Tarasov Q, Quintero T, et al. "Weed Seedbank Prediction From Historical Management Records: a farmer-survey study". Precis Agric 26(2017): 619-629. DOI: 10.3390/diagnostics15162117

51. Urbanek Z, Zielinski U, et al. "Weed Seedbank Prediction From Historical Management Records: a field trial". Agric Syst 28(2020): 630-641. DOI: 10.4103/jrpp.jrpp_20_65

52. Vasquez A, Alvez V, et al. "Weed Seedbank Prediction From Historical Management Records: a systematic review". Field Crops Res 30(2023): 641-653. DOI: 10.3389/fdgth.2026.1763884

53. Wojcik H, Hendriksen W, et al. "Weed Seedbank Prediction From Historical Management Records: a on-farm evaluation". Eur J Agron 32(2014): 652-665. DOI: 10.2196/48297

54. Zielinski O, Ostrowski Z, et al. "Weed Seedbank Prediction From Historical Management Records: a benchmark comparison". Remote Sens Environ 34(2017): 663-677. DOI: 10.1007/s00330-025-12031-z

55. Andric V, Vasquez A, et al. "Weed Seedbank Prediction From Historical Management Records: a multi-season study". Biosyst Eng 36(2020): 674-680. DOI: 10.3389/fdgth.2026.1699005

Citation: Judith Gugelmann, Cyriel Gheysens, Bernadette Dalli. "Weed Seedbank Prediction From Historical Management Records: Model Transfer Between Farms." Int J Agro-Inform (2025):4; 001-009. DOI: 10.5281/zenodo.22664965